



Safety Data Sheet

ArtRoc Plaster Bandages

Revision Number 2
Revision: Number 16 February 2022
Date 24 November 2016

SECTION 1 Product & Supplier Identification

Product Name ArtRoc Plaster Bandage
Other Names None
Product Code ML315
Barcode Number
Recommended Use Moulding bandage designed to be mixed with water and PVA for craft.
Restrictions on Use None known
Company Zart Art
ABN 24 621 120 321
Address 14-17 Dansu Court, Hallam, VIC 3803
Telephone +61 3 9890 1867
Supplier Code
Emergency Phone Number Australia – 13 11 26 (Poisons Information Centre)

SECTION 2 Hazards Identification

Classification of the hazardous chemical

Physical hazards Not classified
Health hazards Not classified
Environmental hazards Not classified

Label elements, including precautionary statements

Hazard symbols None
Signal word None
Hazard Statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.
Response Wash hands after use.
Storage Store in well ventilated place. Keep container tightly closed.
Disposal Dispose of contents and container in accordance with local regulations.

SECTION 3 Ingredient Composition / Information

<u>Chemical Entity</u>	<u>CAS No.</u>	<u>Proportion (to 100%)</u>
Non-hazardous components		to 100 %

SECTION 4 First Aid Measures

Description of necessary first aid measures

Eye Irrigate with copious quantities of water for atleast 15 minutes, lifting eyelids occasionally. Seek medical attention.
Skin Wash off with soap and water. If any symptoms arise seek medical attention.
Inhalation Move to a well-ventilated area. Seek medical attention if symptoms persist.
Swallowed Rinse mouth with water. Do not induce vomiting. Seek medical attention.

Personal protection for first aid responders

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Symptoms caused by exposure

Inhalation May cause respiratory irritation and coughing.
Skin May cause burns, irritation, redness, pain and rash.
Eye May cause eye irritation, tearing, pain and redness.
Swallowed May cause gastrointestinal irritation, nausea, vomiting, headache and diarrhoea

Medical attention and special treatment

Drinking large volumes of water may delay the hardening of this product in the stomach.
Surgical relief of obstruction may be required.

SECTION 5

Fire Fighting Measures

Extinguishing equipment

- Suitable** Water, fog, foam, dry chemical powder, carbon dioxide. When choosing extinguishing equipment be aware of any potential hazard(s), example electrical.
- Unsuitable** Anything that could spread the fire and or risk the safety of surrounding personnel.

Specific hazards arising from the chemical

No explosion hazard exists. May evolve gases hazardous to health.

Specific protective equipment and precautions for fire fighters

Self-contained breathing apparatus (SCBA) and full protective clothing (PPE) must be worn.

Hazchem Code Not available.

General fire hazards No unusual fire or explosion hazards known.

SECTION 6

Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away and upwind of spill. Wear appropriate PPE during clean up. Prevent contamination to drains / water ways. Local authorities should be contacted if spill cannot be contained. Collect and seal in clearly labelled containers for disposal in accordance with local regulations. Heed advice under Section 8 "Personal Protection".

For emergency responders

Keep unnecessary people away. Wear appropriate dust/particulate respirator and full PPE. Do not generate or breath dust and ensure adequate ventilation. Heed advice under Section 8 "Personal Protection".

Environmental precautions

Avoid discharge to drains, water ways or onto the ground.

Methods and materials for containment and clean up

Large spills – Avoid dust creation. Use industrial vacuum to clean up spill. If vacuum is not practical, use a wet mop. Collect and seal in a bag or container that prevents fibre or dust emission and clearly label for disposal in accordance with local regulations.
Small spills – Clean up with wet cloth or mop.

SECTION 7

Handling & Storage

Precautions for safe handling

Wear appropriate personal protective equipment. DO NOT attempt enclosed casting of body parts, that is hands, fingers, toes etc. This product when mixed with water gives off heat, which may result in skin burns. Observe good industrial hygiene practices to avoid skin or eye contact and inhalation of dust. Use equipment that helps to minimise dust. Equipment that generates dust, needs to have exhaust extraction or effective local extraction. Work areas should be cleaned regularly to minimise build-up of fibres and dust. Always wash hands after use. Do not eat, smoke or drink when handling this product.

Conditions for safe storage, including any incompatibilities

Store in a dry location away from moisture. Keep containers tightly closed when not in use.

SECTION 8 Exposure Controls / Personal Protection

Occupational exposure limits (OEL's)

No OEL's noted for this product. However, for individual components,

Carbonic acid, calcium salt 471-34-1 10 mg/m³(TWA)

Calcium sulfate 7778-18-9 10 mg/m³(TWA)

(Calcium Sulfate - This value is for inhalable dust containing no asbestos and < 1% crystalline silica.)

Biological limit values

No biological exposure values noted for this product.

Appropriate engineering controls

Use in a well-ventilated area. Provide an eyewash station.

Individual protection measures, for example personal protective equipment (PPE)

Eye protection

Wear safety goggles that protect against dust.

Skin protection

Wear impervious gloves.

Respiratory protection

Wear an appropriate dust mask that meets relevant Australian standards. The mask should protect against mechanically generated particulates for example silica.

Hygiene measures Use and maintain good industrial hygiene. Always wash hands after use. Routinely maintain safety equipment. Do not eat, smoke or drink when handling this product.

SECTION 9 Physical & Chemical Properties

Appearance	White solid sheet
Odour	None
Odour threshold	Not available
pH	Not available
Melt point / freeze point	Not available
Flash point	Not available
Flammability	Not flammable
Vapour Pressure	Not available
Vapour Density	Not available
Relative density	Not available
Solubility in water	Insoluble
Specific Gravity	Not available

SECTION 10 Stability & Reactivity

Reactivity Product is considered non-reactive under normal conditions of use, storage and transport.

Chemical stability Product is considered stable at ambient temperature and under normal conditions of use.

Possibility of hazardous reactions

Hazardous polymerisation will not occur.

Conditions to avoid None known.

Incompatible materials

Strong acids.

Hazardous decomposition

If in a fire obnoxious fumes including oxides of carbon may be produced.

SECTION 11

Toxicological Information

Information on possible routes of exposure

Inhalation	Minor irritation may be expected in some individuals.
Skin contact	Minor irritation may be expected in some individuals.
Eye contact	Minor irritation may be expected in some individuals.
Ingestion	May cause irritation in some individuals.

Acute Health Effects

Inhalation	May cause respiratory irritation and coughing.
Skin	May cause burns, irritation, redness, pain and rash.
Eye	May cause eye irritation, tearing, pain and redness.
Ingestion	May cause gastrointestinal irritation, nausea, vomiting, headache and diarrhoea

Skin corrosion / irritation

Based on classification principles, the classification criteria are not met.

Serious eye damage / irritation

Based on classification principles, the classification criteria are not met.

Respiratory or skin sensitisation

Based on classification principles, the classification criteria are not met.

Carcinogenicity

Silica dust, crystalline, in the form of quartz or cristobalite is classified by IARC as a Group 1 – Carcinogenic to humans.

Aspiration hazard

Based on classification principles, the classification criteria are not met.

Reproductive toxicity

Based on classification principles, the classification criteria are not met.

Chronic Health Effects

The prolonged and repeated exposure (by inhalation) to respirable (crystalline) silica causes silicosis, a debilitating lung disease.

Additional Information

This product does NOT contain,
Egg, dairy, soy, seafood, shellfish, wheat or peanut products, by-products or derivatives.

SECTION 12

Ecological Information

Ecotoxicity

No specific data is available for this product. However, do not release this product or any water contaminated with this product into drains, soils or waterways. Sufficient measures should be taken to retain the water used in extinguishing any fires involving this product. Dispose of contaminant in accordance with local landfill or incineration regulations.

Persistence and degradability

No specific data available.

Bio accumulative potential

No specific data available.

Mobility in soil

No specific data available.

SECTION 13

Disposal Considerations

Disposal methods

Dispose of this product and any water contaminated with this product in accordance with local regulations.



ArtRoc Plaster Bandage

Safety Data Sheet

Contaminated packaging

The container in which the product is/was contained should also be disposed of in accordance with local regulations.

SECTION 14 Transport Information

ADG Not regulated as dangerous goods.

IMDG Not regulated as dangerous goods.

Special Precautions No special precautions or requirements for transport

SECTION 15 Regulatory Information

Safety, health and environmental regulations

This Safety Data Sheet was prepared in accordance with Safe Work Australia's Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Not allocated

AICS All components are listed in the Australian Inventory of Chemical Substances.

SECTION 16 Other Information

Reason for Revision Update Review and update information in accordance with GHS requirements. Sections 1 and 3 information changes.

TWA The TWA (Time Weighted Average) exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded even briefly.

ADG Australian Dangerous Goods Code

IMDG International Maritime Dangerous Goods Code

Whilst every care has been taken in compiling these instructions, Zart Art, its employees, contractors and agents neither warrant nor represent that the material published herein is accurate or free from errors or omissions. To the extent permissible by law, Zart Art, its employees, contractors and agents shall not be liable or responsible for any errors, omissions or misrepresentations made herein.

Date Printed : 16 February 2022

Contact Point – Zart Art (BH) (03) 9890 1867

END MSDS

Page 5 of 5